

CILINDER SURFACE

D92243-

PROJECT _____

TYPE _____

NOTES _____

QUANTITY _____

DATE _____

GENERAL

Division: Design _____

Series: Cilinder _____

Mounting Type: Surface _____

Mounting Location: Ceiling _____

Subcategory: Downlight _____

Brand: Milan _____

PHYSICAL

Shape: Cylinder _____

Diameter (mm): 200 _____

Diameter (in): 7 7/8" _____

Height (mm): 76 _____

Height (in): 3" _____

Light Distribution: Direct _____

Diffuser: Satin Finish Injected Polycarbonate _____

Fixture Finish: BUL / MBK / MGO / MWH _____

Fixture Material: Stamped Steel _____

ELECTRICAL

Lamp Type: LED _____

Driver Included: No _____

Input Voltage (V): 120 _____

Input Wattage (W): 11 _____

Input Wattage (Range): 10 - 19 W _____

LED

Number of LEDs: 1 _____

Color Temperature (°K): 3000 _____

Max. Delivered Lumen (lm): 845 _____


CRI: >90 CRI _____

OPTICAL


RATINGS AND CERTIFICATIONS

Certified By: Certified for North American Standards _____

IP rating: IP20 _____



76mm 3"



Ø200mm 7 7/8"



CILINDER SURFACE

D92243-


PROJECT _____

TYPE _____

NOTES _____

QUANTITY _____

DATE _____



CILINDER SURFACE COLOR FINISH CHART

PROJECT _____

TYPE _____

NOTES _____

QUANTITY _____

DATE _____

Burgundy Lacquer - BUL



Matte Black - MBK



Matte White - MWH

Digital: Not all screens are calibrated the same, and therefore, colors will appear differently between screens.

Physical: When texture is involved, there will be variations in color, character and tone within a product series and between product families.

