

PASSO SURFACE

L9G032-

PROJECT _____

TYPE _____

NOTES _____

QUANTITY _____

DATE _____

GENERAL

Division: Exterior
 Series: Passo
 Mounting Type: Surface
 Mounting Location: Above Ground
 Subcategory: Marker
 Brand: Platek

PHYSICAL

Shape: Abstract
 Length (mm): 145
 Length (in): 5 ¹¹/₁₆
 Width (mm): 110
 Width (in): 4 ⁷/₁₆
 Height (mm): 28
 Height (in): 1 ¹/₈
 Light Distribution: Direct
 Diffuser: Serigraphed Extra Clear Glass
 Fixture Finish: SSS / COR
 Fixture Material: Stainless Steel
 Cable Details: Supplied with 1 power supply cable 3m in length

ELECTRICAL

Lamp Type: LED
 Input Wattage (W): 7.5
 Total Output Wattage (W): 6.5
 Dimming: 0-10V Dimming / Phase Dimming (120Vac Only)
 Driver Included: No
 Driver Location: Remote
 Driver Type: Constant Voltage - Universal
 Input Voltage (V): 120 / 277
 Output Voltage (V): 24
 Upon Request: (Not included - see components [IP65 or higher enclosure to be supplied by others]) 0-10Vdc dimming / Phase dimming @120Vac only / Non-dimming 277Vac



LED

Number of LEDs: 1
 Color Temperature (°K): 3000 / 4000
 Max. Delivered Lumen (lm): 90 / 95
 CRI: >80 CRI
 Lamp Life (hrs): 60000

OPTICAL

RATINGS AND CERTIFICATIONS

Certified By: Certified for North American Standards
 IP rating: IP65
 IK Rating: IK06



PASSO SURFACE

L9G032-


PROJECT

TYPE

NOTES

QUANTITY

DATE



E

PROJECT _____


TYPE _____

NOTES _____

QUANTITY _____

DATE _____

Stainless Steel - SSS



Corten - COR



Digital: Not all screens are calibrated the same, and therefore, colors will appear differently between screens.

Physical: When texture is involved, there will be variations in color, character and tone within a product series and between product families.