

ATLANTIQUE RECESSED

L91431-

PROJECT	_____
TYPE	_____
NOTES	_____
QUANTITY	_____
DATE	_____

GENERAL

Division: Exterior
 Series: Atlantique
 Mounting Type: Recessed
 Mounting Location: In-Ground
 Subcategory: Drive Over
 Brand: Platek

PHYSICAL

Shape: Round
 Diameter (mm): 277
 Diameter (in): 10 7/8"
 Height (mm): 162
 Height (in): 6 3/8"
 Weight (kg): 7.1
 Weight (lbs): 15.65
 Load Resistance (kg): 4500
 Load Resistance (lbs): 9920
 Installation Requirement: Installation in sleeve set in concrete with a 20-30 cm gravel drain bed
 Light Distribution: Direct
 Diffuser: Flat Tempered Glass - 12mm / 5/32"
 Fixture Finish: BLK
 Fixture Material: Aluminum Die Cast

ELECTRICAL

Lamp Type: LED
 Dimming: 0-10V Dimming / Phase Dimming (120Vac Only)
 Driver Included: Yes (excluding RGBW)
 Driver Location: Integrated / RGBW - Remote
 Driver Type: Constant Current - Universal
 Driver Class: Class 2
 Input Voltage (V): 120 / 277
 Input Wattage (W): 32
 Total Output Wattage (W): 29
 Constant Current (MA): 350
 Input Wattage (Range): 30 - 49 W
 Upon Request: (Not included - see components [IP65 or higher enclosure to be supplied by others]) Remote: 0-10Vdc dimming / DMX / (Included) Integral: Phase dimming @120Vac only / 277Vac

LED

Number of LEDs: 18
 Color Temperature (°K): 3000 / 4000
 Delivered Lumens (Range): 2000 - 2999 lm
 Max. Delivered Lumen (lm): 2700 / 2800
 Nominal Lumen (lm): 3420 / 3600
 CRI: >80 CRI
 Lamp Life (hrs): 60000

OPTICAL

Optic°: 9 / 26 / 40 / Elliptical


RATINGS AND CERTIFICATIONS

Certified By: Certified for North American Standards
 IP rating: IP68
 IK Rating: IK10



277mm 10 7/8"

190mm 7 1/2"



162mm 6 3/8"




PROJECT _____

TYPE _____

NOTES _____

QUANTITY _____

DATE _____




ATLANTIQUE RECESSED

COLOR FINISH CHART

PROJECT	_____
TYPE	_____
NOTES	_____
QUANTITY	_____
DATE	_____

Black - BLK



Digital: Not all screens are calibrated the same, and therefore, colors will appear differently between screens.
Physical: When texture is involved, there will be variations in color, character and tone within a product series and between product families.

